

## Regulatory and Technical Support

With a broad and extensive technical experience in the Environmental Health division, we offer the comprehensive product registration package as well as technical support with best use of innovative technologies and formulations to our growing client base from our regional laboratory in Seremban, Malaysia.

Please Read and Follow  
Product Label Directions and Precautions Before Use.

### Contact Us For More Information

**Sumitomo Chemical Asia Pte Ltd**  
3 Fraser Street, #07-28 DUO Tower  
Singapore 189352  
Tel : (65) 6303 5188  
Fax : (65) 6298 9621

**Sumitomo Chemical Philippines Inc**  
Unit 4C, 4<sup>th</sup> Floor, MAPFRE Insular Corporate Center  
1220 Acacia Avenue, Madrigal Business Park, Ayala Alabang  
Muntinlupa City  
1770 Philippines  
Tel : (632) 885 067180  
Fax : (632) 885 063032

**Sumitomo Chemical (Thailand) Co. Ltd**  
Level 35, Unit 3505, Exchange Tower  
388 Sukhumvit Road  
Klongtoey, Bangkok 10110  
Thailand  
Tel : (66) 2663 4337  
Fax : (66) 2663 4336

วอศ. 1180/2555

ทะเบียนวัตถุอันตรายเลขที่  
กปศ. 02 04 61 0124



**Sumitomo Chemical Enviro-Agro Asia Pacific Sdn Bhd**  
Lot 62A, Persiaran Bunga Tanjung 1  
Senawang Industrial Park  
70400 Seremban, Negeri Sembilan  
Malaysia  
Tel : (606) 679 3711  
Fax : (606) 679 3698

**Sumitomo Chemical Vietnam Co., Ltd**  
Floor 5, 40 Pham Ngoc Thach Street, Ward 6  
District 3, Ho Chi Minh City  
Vietnam  
Tel : (028) 3822 0127, (028) 3822 0129  
Fax : (028) 3822 0131

<https://www.sumitomo-chem-envirohealth.com>

#### Disclaimer

The statements, technical information and recommendations contained herein is to be used only as a guide to assist with the product selection and Sumitomo Chemical makes no representation or warranty as to the completeness or accuracy of the information contained herein. The products and specifications set forth in this brochure are subject to change without notice and Sumitomo Chemical disclaims any and all liability for such changes. Since the conditions and methods of use of the product and of the information referred to herein are beyond our control, Sumitomo Chemical expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information; NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE GOODS DESCRIBED OR THE INFORMATION PROVIDED HEREIN. IN NO EVENT WILL SUMITOMO CHEMICAL BE LIABLE FOR ANY INCIDENTAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING FROM THE SALE OR USE OF ANY PRODUCT.

The information provided herein relates only to the specific product designated and may not be applicable when such product is used in combination with other materials or in any process. All sales of products shall be subject to Sumitomo Chemical's Standard Terms and Conditions of Sale, a copy of which will be provided by Sumitomo Chemical upon request.

\*Sumitomo Chemical as used herein refers to Sumitomo Chemical Asia Pte Ltd, each and any subsidiary or holding company from time to time of that company, whether existing now or in the future.

 SUMITOMO CHEMICAL

 SUMITOMO CHEMICAL

**Pesguard<sup>®</sup>**  
**0.5FL**



**Surface Spray Concentrate**  
**Based on efficacy test in Thailand**




 SUMITOMO CHEMICAL

## Pesguard® α 5FL

is a water-based concentrate formulation provides long lasting residual control against crawling and flying insect pests without damaging surfaces or emitting odors.


The unique Pesguard® α 5FL containing the powerful active ingredient, Esfenvalerate 5.0% w/v, designed specifically for use even the most sensitive public health activities and sprayed on surface where pests are known to land, crawl or hide. Once applied, the insecticide remains available on exposed surfaces and is readily picked up by contact with crawling insects.



## Biological Efficacy

A wide range of information is available on the excellent activity resulting from treatments with Pesguard® α 5FL. At dose levels of between 25 – 50 mg a.i. / m<sup>2</sup>, a residual activity, the following graph summarises one such application:

**Field evaluation on the German Cockroach – *Blattella germanica*** – Conducted by a professional Pest Control Operator, Pesguard® α 5FL diluted 1 : 50L with water / 1L applied to every 20m<sup>2</sup>.



In the World Health Organisation booklet WHO/CTD/WHOPES/97.2, “Chemical methods for the control of vectors and pests of public health importance”, reference is made to use of effective application doses of Esfenvalerate (Pesguard® α 5FL).

**Fly control** - suitable surface application dose: 0.025 – 0.05 g a.i. / m<sup>2</sup>

**Bed bug control** - suitable surface application dose: 0.025 - 0.05 g a.i./ m<sup>2</sup>

**Cockroach control** - suitable surface application dose : 0.025 – 0.05 g a.i. / m<sup>2</sup> (based on a recommended spray concentration of 0.05 – 0.1%)

## Why Choose

### Pesguard® α 5FL


- Easy to use, diluted with water
- HACCP certified. Allows to use in food industry as directed by the product label  
Do not spray to areas where food, utensils, or processing surfaces may become contaminated
- Economic to use
- Ideal for use in sensitive areas
- Effective long lasting residual control on different types of treated surfaces
- Low odour and doesn't cause damage to most surfaces

**Packaging size: 1 Litre**

### Pesguard® α 5FL evaluation on common household insect pests:

- Pesguard® α 5FL diluted with water in 1 : 50 (in the case of a high pest population) ratio / 1 L applied to every 20 m<sup>2</sup>
- Minimum 3 months of control against *Blattella germanica*, *Aedes aegypti* and *Periplaneta Americana*.

Residual Effect of Pesguard® α 5FL against *Blattella germanica*, *Aedes aegypti* and *Periplaneta americana*



### Cockroaches and Ants control

1 milliliter of Pesguard® α 5FL mixed with water to make 100 milliliters, then spray at a rate of 50 milliliters per square meter.

### Mosquitoes and Flies control

1 milliliter of Pesguard® α 5FL mixed with water to make 50 milliliters, then spray at a rate of 25 milliliters per square meter.

